

---

# pyscaffoldext-markdown

## Documentation

*Release unknown*

**Florian Wilhelm**

**Jul 03, 2022**



# CONTENTS

<b>1</b>	<b>Contents</b>	<b>3</b>
1.1	pyscaffoldext-markdown . . . . .	3
1.2	License . . . . .	4
1.3	Contributors . . . . .	5
1.4	Changelog . . . . .	5
1.5	pyscaffoldext . . . . .	6
<b>2</b>	<b>Indices and tables</b>	<b>7</b>
	<b>Python Module Index</b>	<b>9</b>
	<b>Index</b>	<b>11</b>



PyScaffold extension which replaces reStructuredText formatted files by Markdown format (with the help of MyST) except for Sphinx-related files.



## CONTENTS

## 1.1 pyscaffoldext-markdown

PyScaffold extension which replaces reStructuredText formatted files by Markdown format (with the help of MyST) except for Sphinx-related files.

### 1.1.1 Usage

Just install this package with either `pip install pyscaffoldext-markdown` or `conda install -c conda-forge pyscaffoldext-markdown` and note that `putup -h` shows a new option `--markdown`. Basically this extension will replace `README.rst` by a proper `README.md` and activate the support of Markdown files in Sphinx.

### 1.1.2 Building and Releasing

By default, the `tox` configuration generated by PyScaffold is compatible with Markdown (as implemented in this extension). This means that (after installing `tox` with `pip` or `pipx`) you can run:

```
tox -e docs # to build your documentation
tox -e build # to build your package distribution
tox -e publish # to test your project uploads correctly in test.pypi.org
tox -e publish -- --repository pypi # to release your package to PyPI
tox -av # to list all the tasks available
```

Please remember that the command `python setup.py release` is no longer recommended, so if you don't like `tox`, please consider using `Sphinx` and `twine` directly:

```
python -m pip install -U pip setuptools wheel sphinx twine
python setup.py bdist_wheel # to build your package distributions
make -C docs html # to build your docs
twine upload dist/* # to release your package to PyPI
```

### 1.1.3 Making Changes & Contributing

This project uses [pre-commit](#), please make sure to install it before making any changes:

```
pip install pre-commit  
cd pyscaffoldext-markdown  
pre-commit install
```

It is a good idea to update the hooks to the latest version:

```
pre-commit autoupdate
```

Please also check PyScaffold's [contribution guidelines](#).

### 1.1.4 Note

This project has been set up using PyScaffold 4.0. For details and usage information on PyScaffold see <https://pyscaffold.org/>.

## 1.2 License

The MIT License (MIT)

Copyright (c) 2018 Florian Wilhelm

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.3 Contributors

- Florian Wilhelm
- Anderson Bravalheri
- Ben Mares
- Evgeny Saveliev

## 1.4 Changelog

### 1.4.1 Version 0.5

- Switch to `myst-parser` from `recommonmark`, PR #16
- Added badges to the `README.md` template, PR #21
- Remove description section in `README.md`, PR #39
- Add a static `CONTRIBUTING.md` template, PR #27

### 1.4.2 Version 0.4.1

- Latest updates from PyScaffold
- Fix issue with kebab-cased-keys in `setup.cfg`, PR #13
- Fix issue of dsproject extension `KeyError: 'long-description'`, issue #20

### 1.4.3 Version 0.4

- Changes required for PyScaffold v4.0
- Updated system tests/CI using `pyscaffoldext-custom-extension`
- Simplified templates package thanks to `pyscaffold.templates.get_template`
- Removed unnecessary coding: `utf-8` comments
- Use symlinks to load `README.md`, `AUTHORS.md`, `CHANGELOG.md` into Sphinx, issues #6, #7.

### 1.4.4 Version 0.3.2

- Fix wrong `long-description` in `setup.cfg`
- Remove deprecated `enable_auto_doc_ref` option
- Remove deprecated `source_parsers`

### 1.4.5 Version 0.3.1

- Some cosmetics

### 1.4.6 Version 0.3

- Changes necessary for PyScaffold 3.2
- Regenerated extension using --custom-extension
- Several cleanups

### 1.4.7 Version 0.2.1

- Fix windows error

### 1.4.8 Version 0.2

- Use helpers.modify where appropriate

### 1.4.9 Version 0.1

- Initial release

## 1.5 pyscaffoldext

### 1.5.1 pyscaffoldext namespace

#### Subpackages

##### pyscaffoldext.markdown package

#### Subpackages

##### pyscaffoldext.markdown.templates package

#### Module contents

#### Submodules

##### pyscaffoldext.markdown.extension module

#### Module contents

---

**CHAPTER  
TWO**

---

**INDICES AND TABLES**

- genindex
- modindex
- search



## PYTHON MODULE INDEX

p

`pyscaffoldext`, 6

`pyscaffoldext.markdown`, 6

`pyscaffoldext.markdown.templates`, 6



# INDEX

## M

module  
    [pyscaffoldext](#), 6  
        [pyscaffoldext.markdown](#), 6  
            [pyscaffoldext.markdown.templates](#), 6

## P

[pyscaffoldext](#)  
    [module](#), 6  
[pyscaffoldext.markdown](#)  
    [module](#), 6  
[pyscaffoldext.markdown.templates](#)  
    [module](#), 6